From: Bird, Patrick
To: Milbury, Gary
Subject: FW: Pyrolysis

Date: Tuesday, April 4, 2017 9:42:00 AM

Attachments: Scan 20170327 (3).pdf

Hi Gary,

See the attachment. The company in question includes a determination from the old HMIWI rule, which a) is not the most recent iteration of HMIWI, and b) would be specific to how HMIWI is written in regards to pyrolysis.

I'll ask some folks about recent pyrolysis determinations.

Patrick Bird

U.S. EPA - Region 1

5 Post Office Square, OEP05-2 Boston, MA 02109-3912

Phone: 617-918-1287 Fax: 617-918-0287

Email: bird.patrick@epa.gov

From: Lancey, Susan

Sent: Thursday, March 30, 2017 1:12 PM

To: gary.milburyjr@des.nh.gov

Cc: Bird, Patrick <Bird.Patrick@epa.gov>

Subject: FW: Pyrolysis

Hi Gary,

Would you be available to have a call with Pat Bird and I about this facility anytime today after 3?

Thank you, Susan Lancey U.S. EPA Region I 5 Post Office Square Suite 100 (OEP05-2)

Boston, MA 02109

617-918-1656

From: miket.ultimate.energy@gmail.com [mailto:miket.ultimate.energy@gmail.com]

Sent: Monday, March 27, 2017 8:33 PM **To:** Lancey, Susan < lancey.susan@epa.gov>

Cc: Mike Skroski < recs@gmavt.net > **Subject:** FW: Scan_20170327 (3).pdf

Ms. Susan Lancey

US Environmental Protection Agency Region 1, Boston, Massachusetts

Dear Ms. Lancey,

I would like to thank you for your Help. As per our phone conversation, I have include a brief description of the process and a request for determination for the pyrolytic portion of the process. I have also included a previous letter from the EPA on the determination of Pyrolysis. Though it doesn't exactly fit our situation, I hope you will find it helpful. I look forward to your response and if there is anything else we can help with, please don't hesitate to contact me.

Sincerely, Michael Trunzo Ultimate Energy Partners cc: Mike Skroski